

Austermann Collection Fall/Winter 2010 Pattern 25



All rights reserved. No part may be reproduced in any form without written permission from the publisher. This includes the reproduction, translation and microfilming as well as storing and processing in electronic systems. It is also not permitted to scan, save to PC or CD, to change or manipulate images.

**Schoeller Süßen GmbH · Postfach 1160 · D-73073 Süßen ·
Phone +49/7162-93050-15 · Fax +49/7162-430-80 · www.austermann-wolle.de**

25 Woman's Jacket

Sizes

Instructions are for Woman's Size Small. Changes for sizes Medium and Large are in parentheses. If there is only one number it applies to all sizes.

Materials – Kid Silk from Austermann

**75 % Kidmohair, 25 % Silk, each ball = approx 225 m/ 25 g
8 (9/10) balls in color #07 grau (gray)**

One pair size US 6 (4 mm) needles, OR SIZE TO OBTAIN GAUGE, from Schoeller + Stahl

Gauge: 18 sts and 26 rows = 4 x 4"/10 x 10 cm over St st and Lace pat using size US 6 (4 mm) needles.

TAKE TIME TO CHECK GAUGE.

St st and Lace Rib (multiple of 16 sts):

Row 1 (RS) * K11, P5; rep from * to end.

Row 2 and all WS rows: K the knit sts and P the purl sts.

Rows 3 and 5: Rep row 1.

Row 7 (Eyelet Row): *K11, P1, P2tog, yo, P2; rep from * to end.

Row 8 Rep row 2.

Rep rows 1-8 for St st and Lace Rib.

Flounce in Short Rows over 23 sts in St st:

Work 8 rows even, *then work over the first 8 sts, turn work, yo and work to end.

On the next row work over the first 14 sts, working the yo tog with the corresponding st on needle to close hole, turn work, yo and work to end. On the next row, work over the first 20 sts, working the yo tog with the corresponding st on needle to close hole, turn work, yo and work to end. Work 2 rows over all sts, and on the first row, work the yo tog with the corresponding st on needle.

On the next row work over the first 20 sts, turn work, yo and work to end. On the next row work over the first 14 sts, turn work, yo and work to end. On the next row, work over the first 8 sts, turn work, yo and work to end.

Work 16 rows over all sts and on the first row, work the yo tog with the corresponding st on needle.*
Rep from * to *.

Gauge: 24 sts and 26 rows = 4 x 4"/10 x 10 cm over Rib Pat for Sleeves (slightly stretched) using size US 6 (4 mm) needles.

Rib Pat for Sleeves:

Row 1 (RS): *P3, K5; rep from * to end.

Row 2: K the knit sts and P the purl sts.

Rep rows 1 and 2 for Rib Pat.

Instructions:

The Jacket is worked sideways, beginning with the Left Front edge.

Cast on 177 sts and work pats as foll: 23 sts Flounce, P5, work 16-st rep of St st and Lace Rib 8 times, K21. Cont in pats as established until piece measures 15 3/4 (16 1/2 / 17 1/2)"/40 (42/44) cm from beg.

Armhole shaping: Work 104 (102/99) sts, bind off 33 (35/38) sts, work to end. On the next row, cast on sts over bound-off sts.

Work even until piece measures 9 1/2 (10 1/4 / 11)"/24 (26/28) cm from armhole bind-off. The center of piece is reached. Work the 2nd half to correspond, reversing shaping.

All rights reserved. No part may be reproduced in any form without written permission from the publisher. This includes the reproduction, translation and microfilming as well as storing and processing in electronic systems. It is also not permitted to scan, save to PC or CD, to change or manipulate images.


Sleeves:

Cast on 107 (113/121) sts and work in Rib Pat for Sleeve as foll: 1 selvage st, K3 (2/2), work 8-st rep of pat 12 (13/14) times, P3, K3 (2/2), 1 selvage st. Cont in pats as established, dec 1 st each side every 10th row 4 times and every 12th row 3 times = 93 (99/107) sts.

Work even until piece measures 23 1/2"/60 cm from beg. Work 1 row with a length of scrap yarn.

Finishing:

Block pieces to measurements. Sew sleeves into armhole openings, sewing open sts to bound-off and cast-on edges. The seam must be elastic for a proper fit. Sew Sleeve seams.



All rights reserved. No part may be reproduced in any form without written permission from the publisher. This includes the reproduction, translation and microfilming as well as storing and processing in electronic systems. It is also not permitted to scan, save to PC or CD, to change or manipulate images.